

R-3.3.1

Qualquer dúvida, favor entrar em contato com a Seção de Informática:



Sala 04 A-M (Bloco M, térreo)




scinfor@fcfrp.usp.br



(16) 3315 - 4173

1 – Acesse o site <http://cran.fiocruz.br/>, e clique em uma versão, de acordo com o seu sistema operacional.



The screenshot shows the CRAN website with the following content:

Download and Install R

Precompiled binary distributions of the base system and contributed packages. **Windows and Mac** users most likely want one of these versions of R:

- [Download R for Linux](#)
- [Download R for \(Mac\) OS X](#)
- [Download R for Windows](#)

R is part of many **Linux** distributions, you should check with your Linux package management system in addition to the link above.

Source Code for all Platforms

Windows and Mac users most likely want to download the precompiled binaries listed in the upper box, not the source code. The sources have to be compiled before you can use them. If you do not know what this means, you probably do not want to do it!

- The latest release (Tuesday 2016-06-21, Bug in Your Hair) [R-3.3.1.tar.gz](#), read [what's new](#) in the latest version.
- Sources of [R alpha and beta releases](#) (daily snapshots, created only in time periods before a planned release).
- Daily snapshots of current patched and development versions are [available here](#). Please read about [new features and bug fixes](#) before filing corresponding feature requests or bug reports.
- Source code of older versions of R is [available here](#).
- Contributed extension [packages](#)

Questions About R

- If you have questions about R like how to download and install the software, or what the license terms are, please read our [answers to frequently asked questions](#) before you send an email.

2 – No caso do Windows, na próxima página, clique no link em destaque abaixo:

R for Windows

Subdirectories:

base	Binaries for base distribution (managed by Duncan Murdoch). This is what you want to install R for the first time .
contrib	Binaries of contributed CRAN packages (for R \geq 2.11.x; managed by Uwe Ligges). There is also information on third party software available for CRAN Windows services and corresponding environment and make variables.
old contrib	Binaries of contributed CRAN packages for outdated versions of R (for R $<$ 2.11.x; managed by Uwe Ligges).
Rtools	Tools to build R and R packages (managed by Duncan Murdoch). This is what you want to build your own packages on Windows, or to build R itself.

Please do not submit binaries to CRAN. Package developers might want to contact Duncan Murdoch or Uwe Ligges directly in case of questions / suggestions related to Windows binaries.

You may also want to read the [R FAQ](#) and [R for Windows FAQ](#).

Note: CRAN does some checks on these binaries for viruses, but cannot give guarantees. Use the normal precautions with downloaded executables.

3 – Faça o *download* do arquivo indicado e anote a pasta do computador onde ele será armazenado.


R-3.3.1 for Windows (32/64 bit)

[Download R 3.3.1 for Windows](#) (70 megabytes, 32/64 bit)


[Installation and other instructions](#)
[New features in this version](#)

If you want to double-check that the package you have downloaded exactly matches the package distributed by R, you can compare the [md5sum](#) of the .exe to the [true fingerprint](#). You will need a version of md5sum for windows: both [graphical](#) and [command line versions](#) are available.


4 – Abra a pasta do computador onde o arquivo foi gravado, clique sobre ele com o botão direito do mouse e selecione “Executar como administrador”.




5 – Clique em “OK”.




6 – Clique em “Avançar”.




7 – Clique em “Avançar”.




8 – Clique em “Avançar”.




9 – Clique em “Avançar”. Não altere nenhuma opção de instalação!




10 – Clique em “Avançar”.




11 – Clique em “Avançar”.




12 – Clique em “Avançar”.



13 – Aguarde a finalização da instalação.



14 – Clique em “Concluir”.



15 – Clique no Menu Iniciar e localize o aplicativo instalado “R”. Selecione R i386 3.3.1.

